



## Formulation

# FABRIC SOFTENER, APPROXIMATELY 3 %

1.5.0/2060173

### INGREDIENTS:

	INGREDIENTS	% W/W
1	Water	96,30
	Dyestuff, 1%	0,15
	REWOQUAT® WE HV 18 (Dihydrogenated Tallowethyl Hydroxyethylmonium Methosulfate)	3,35
	Perfume oil (Parfum)	ca. 0,20

### PROCESSING

Mix the water (heated to approximately 30 °C) and the dyestuff. Slowly disperse the REWOQUAT WE HV 18 (preheated to approximately 55 °C) while stirring. Cool to approx. 30 °C before adding the perfume oil.

### REMARKS

Homogeneous dispersion. Viscosity approximately 200 mPas. Brookfield LVT, Sp 2, 30 rpm.

#### Disclaimer:

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

#### Evonik Nutrition & Care GmbH

Rodenbacher Chaussee 4  
63457 Hanau, Germany  
Phone +49 6181 59-6338  
Fax +49 6181 59-6338

[info-household-care@evonik.com](mailto:info-household-care@evonik.com)

[www.evonik.com/household-care](http://www.evonik.com/household-care)